2021 Lighting Program

Colorado: Commercial and Industrial Electric Customers

Customer Information (To be completed by customer) Account Number (Located in upper right-hand corner of Black Hills Energy electric bill) Company Name ____ (Please print) Rebate Check Payable To Installation Address City _____ State___ ZIP ____ Contact Person Mailing Address _____ City _____ State____ ZIP ____ Where did you learn about our rebates? ☐ Bill insert ☐ Billboard ☐ Door Hanger ☐ Email ☐ Event ☐ Facebook ☐ Flyer ☐ Newspaper Article ☐ Print Ad ☐ Radio ☐ TV ☐ Twitter ☐ Website ☐ Youtube ☐ Other (please specify) **Referral by:** □ Evaluator □ Contractor/Dealer/Installer ☐ Friend/Family ☐ Other (please specify) _____

Black Hills Energy offers Colorado Commercial and Industrial electric customers rebates for some of the most commonly installed lighting projects. We offer commercial customers two options to receive rebates.

Option 1 — Lighting Program: Standardized rebates for commercial and industrial customers that purchase and install qualifying energy efficient lighting measures.

Option 2 — Small Business Direct Install Lighting (SBDI): Commercial customers with an average electric demand of less than 350 kW per year will receive the following:

- Free lighting energy evaluation identifying potential energy savings.
- Customized proposal, including information on potential energy saving, installation cost, and anticipated payback.
- Incentives are up to 70% of the equipment and installation costs.
- Finance remaining portion of the costs interest-free through a third party.
- To participate in option 2 call 888-391-8702.

Facility information (Mandatory)					
Type of Facility: ☐ New ☐ Existing ☐ Addition					
Year Built Square Footage □ Own □ Rent					
Building Type: ☐ Office ☐ Retail ☐ Health Care ☐ Restaurant ☐ Education ☐ Lodging ☐ Grocery ☐ Warehouse ☐ Other (please specify)					
Equipment Type: ☐ New ☐ Replacement					

Rebate Checklist

Determine your eligibility, and receive your rebate check faster, by checking off these easy steps before submitting your application. Incomplete applications may delay payment.

- ☐ **Read** the Terms and Conditions and Lighting Program Information Sheet to determine if you are eligible for a rebate.
- ☐ **Complete** the application form.
- ☐ **Sign and Date** form (including Dealer's signature and date where applicable).
- ☐ **Attach** the following documentation:
 - Itemized invoice(s) including material and labor costs.
 - · Lighting specification sheets for installed lighting.
- $\hfill \Box$ **Mail, Fax or Email** the application and required documentation to:

Black Hills Energy

c/o Energy Efficiency Programs

5301 Limestone Road, Suite 222, Wilmington, DE 19808

Fax: 302-504-3080

Email: BlackHillsRebates@appliedenergygroup.com

Funding for these rebates is limited. Applications will be processed on a first-come, first-served basis. Additional information or assistance in completing your rebate application can be obtained by calling 800-426-5784, or on the Black Hills Energy website at www.energy-ready.com.

Qualifying Equipment Information

Please see accompanying Lighting Replacement Options Information Sheet for additional details and measure qualifications. Total rebate amount per application will be no more than 50% of the total labor, material and equipment costs shown on itemized invoices for the qualifying measures.

LIGHTING QUALIFY	ING MEASU	RES			
Equipment		Specifications	Maximum Rebate per Unit	Quantity	Rebate
Lighting Controls					
Wall Mounted Occupancy S	ensor	Hardwired passive infrared and/or ultrasonic detector.	\$15 per control		\$
Ceiling Mounted Occupancy	Sensor	Hardwired passive infrared and/or ultrasonic detector.	\$40 per control		\$
Fixture Mounted Occupancy	Sensor	Integrated or fixture mounted. Not eligible for "Stairwell Fixtures with Integral Occupancy Control."	\$12 per control		\$
Lighting Optimization					
system being rebated. This	rebate may not be	Fixture must include high efficiency electronic ballast. There must be percombined with other rebates for lamp or fixture replacement. Pre-retrofice pre-approved. (See Information Sheet for more details).			
Removal of T8 lamps - level	1	Removal of one existing T8 lamp per fixture. Must include new high efficiency electronic ballast.	\$8 per fixture		\$
Removal of T8 lamps - le	vel 2	Removal of two existing T8 lamps per fixture. Must include new high efficiency electronic ballast.	\$16 per fixture		\$
Low-Wattage Fluorescent Ta	8 Lamps				
Low Wattage T8, 4 foot lamps		Replace 32 Watt lamps in existing fixtures with 28 Watt or less lamps and appropriate ballasts.	\$1 per lamp		\$
High-Bay Fluorescent Fixtur	es with Electronic	Ballasts			
T8, 4 foot	4 lamp	Replace 175W to 250W HID* lamp wattage with 4 lamp T8 or 2-3	\$55 per fixture		\$
T5H0, 4 foot or less	2 to 3 lamp	lamp T5H0 system.	\$55 per fixture		\$
T8, 4 foot	6 to 8 lamp	Replace 310W to 400W HID* lamp wattage with 6-8 lamp T8 or 4-6	\$75 per fixture		\$
T5H0, 4 foot or less	4 to 6 lamp	lamp T5H0 system.	\$75 per fixture		\$
T8, 4 foot	12 to 16 lamp	Replace 750W HID* lamp wattage with 12-16 lamp T8 or 8 lamp T5H0	\$85 per fixture		\$
T5H0, 4 foot or less	8 lamp	system.	\$85 per fixture		\$
T8, 4 foot	18 to 20 lamp	Replace 1000 W HID* lamp wattage with 18-20 lamp T8 or 10 lamp	\$95 per fixture		\$
T5H0, 4 foot or less	10 lamp	T5H0 system.	\$95 per fixture		\$
Ceramic Metal Halide Lamps/Fixtures					
150 W or less		Replace incandescent, high pressure sodium or mercury vapor	\$35 per fixture		
Greater than 150 W to 250 W		fixtures/lamps with ceramic metal halide. Lamp wattages must be lower than lamps removed.	\$45 per fixture		
Greater than 250 W		iowei tilali laitips reitioved.	\$55 per fixture		
Integrated Ceramic Metal Halide Lamps (20W to 25W)		Replace 75W to 150W incandescent or halogen lamps to 20W to 25W integrated ceramic metal halide lamps.	\$25 per fixture		

LIGHTING QUALIFYING MEASURES						
Equipment	Specifications	Maximum Rebate per Unit	Quantity	Rebate		
Pulse-Start Metal Halide Lamps/Fixtures						
175 W or less		\$25 per fixture				
Greater than 175 W to 320 W	Replace incandescent, mercury vapor, high pressure sodium, or metal	\$40 per fixture				
Greater than 320 W to 750 W	halide lamps/fixtures with pulse-start metal halide lamps/fixtures. Lamp wattages must be lower than lamps removed.	\$55 per fixture				
Greater than 750 W		\$70 per fixture				
Stairwell Fixtures with Integral Occupancy Control						
2 to 3 lamp T8	Replace 2-4 lamp T12 or T8 fixtures with 2-3 lamp T8 or 20W-30W LED	\$30 per fixture		\$		
20W to 30W LED	fixture with integral occupancy control.	\$30 per fixture		\$		
*High-intensity discharge (HID) systems include mercury vapor, high-pressure sodium, metal halide and pulse-start metal halide.						

LED LIGHTING QUALIFYING MEASURES							
Equipment	Specifications	Maximum Rebate per Unit	Quantity	Rebate			
LED or LEC Exit Signs	LED or LEC Exit Signs						
LED or LEC Exit Signs	Replace incandescent exit sign with LED or LEC exit sign.	\$10 per fixture		\$			
LED ENERGY STAR® Qualified Interior Lamps							
5W or less		\$5 per lamp		\$			
Greater than 5W to 10W	Replace incandescent lamps with ENERGY STAR® listed LED lamps	\$10 per lamp		\$			
Greater than 10W to 20W	and luminaires.	\$15 per lamp		\$			
Greater than 20W		\$20 per lamp		\$			
LED ENERGY STAR® Qualified Downlight Fixtures							
50W or less	Replace incandescent downlight fixture with an ENERGY STAR® qualified commercial LED downlight fixture.	\$35 per fixture		\$			
LED Recessed Troffer Fixtures							
2x2 Fixtures	Replace T8 or T12 fixture with LED recessed troffer fixture. Fixture must	\$30 per fixture		\$			
1x4 Fixtures	be listed on the Design Lights Consortium (DLC) Qualified Products	\$50 per fixture		\$			
2x4 Fixtures	1150.	\$40 per fixture		\$			
LED Recessed Troffer Fixtures Retrofit Kits							
2x2 Fixture Retrofit Kit	Dealers T0 at 710 fint was with LED assessed links (" '	\$10 per retrofit kit		\$			
2x4 Fixture Retrofit Kit	Replace T8 or T12 fixture with LED recessed light fixture retrofit kit. Fixture retrofit kit must be listed on the Design Lights Consortium (DLC) Qualified Products list.	\$15 per retrofit kit		\$			
1x4 Fixture Retrofit Kit	Lights someoritain (DES) quannou i roudets not	\$8 per retrofit kit		\$			

LED LIGHTING QUALIFYING	MEASURES					
Equipment	Specifications	Maximum Rebate per Unit	Quantity	Rebate		
LED Direct Linear Ambient Fixtures						
100W or less	Replace T8 or T12 fixture with LED direct linear ambient fixture. Fixture must be listed on the Design Lights Consortium (DLC) Qualified Products list.	\$10 per fixture		\$		
LED Linear Replacement Lamps (Typ	e A or AB)					
2 foot	Replace T8 with Type A or AB LED linear replacement lamps. Lamps must be listed on the Design Lights Consortium (DLC) Qualified Products list.	\$2 per lamp		\$		
4 foot	Replace T8, T8U, or T5 with Type A or AB LED linear replacement lamps. Lamps must be listed on the Design Lights Consortium (DLC) Qualified Products list.	\$2 per lamp		\$		
LED Exterior Wall Pack Fixtures						
Less than or equal to 25W	Replace HID* systems with LED systems. Fixtures are required to be	\$35 per fixture		\$		
Greater than 25W to 60W	rated for outdoor use. Fixtures must be listed on the Design Lights Consortium (DLC) Qualified Products list. Categories are LED fixture	\$75 per fixture		\$		
Greater than 60W	wattages.	\$100 per fixture		\$		
LED Exterior Flood Lights						
Less than 15W	Replace HID* systems with LED systems. Fixtures are required to be rated for outdoor use. Fixtures must be listed on the Design Lights	\$12 per fixture		\$		
Greater than 15W	Consortium (DLC) Qualified Products list. Categories are LED lamp wattages.	\$15 per fixture		\$		
LED Fixtures for Parking Garage/Fuel Pun	np Canopy Installations					
30W or less	Replace HID* systems with LED systems. Fixtures must be listed on	\$60 per fixture		\$		
Greater than 30W to 75W	the Design Lights Consortium (DLC) Qualified Products list. Categories	\$100 per fixture		\$		
Greater than 75W	are LED fixture wattages.	\$140 per fixture		\$		
Exterior LED Canopy and Soffit Fixtures						
25W to 60W	Replace HID* systems with LED systems. Fixtures must be listed on the Design Lights Consortium (DLC) Qualified Products list. Categories	\$75 per fixture		\$		
Greater than 60W	are LED fixture wattages.	\$100 per fixture		\$		
LED Fixtures for Outdoor Pole/Arm Mounted Parking/Roadway Installations						
Less than 75W	Replace HID* systems with LED systems. Fixtures must be listed on	\$50 per fixture		\$		
75W to less than 100W	the Design Lights Consortium (DLC) Qualified Products list. Categories	\$100 per fixture		\$		
100W or greater	are LED fixture wattages.	\$140 per fixture		\$		

LED LIGHTING QUALIFYING MEASURES						
Equipment	Specifications	Maximum Rebate per Unit	Quantity	Rebate		
LED mogul screw base replacements for HID la	mps					
40W to 49W LED		\$45 per lamp		\$		
50W to 79W LED	Replace an HID lamp with a mogul screw-base (E39) LED lamp.	\$60 per lamp		\$		
80W to 119W LED	Lamps must be listed on the Design Lights Consortium (DLC) Qualified	\$75 per lamp		\$		
120W to 144W LED	Products list. Categories are LED lamp wattages.	\$90 per lamp		\$		
145W to 230W LED		\$105 per lamp		\$		
LED Refrigerated Case Lighting						
LED Refrigerated Case Lighting Replace T8 or T12 linear fluorescent refrigerated case door lighting with new LED refrigerated case door lighting. Fixtures must be listed on the Design Lights Consortium (DLC) Qualified Products list.		\$60 per door		\$		
*High-intensity discharge (HID) systems include mercury vapor, high-pressure sodium, metal halide and pulse-start metal halide.						

Lighting Replacement Options — Information Sheet

The rebates shown on this application form are available for many commonly installed lighting projects. If your project does not qualify for a rebate under one of the lighting options, it still may still qualify for a rebate under the Custom or Self-Direct Custom programs. Please call 800-426-5784 if you need additional information.

De-lamping applications for rebates equal to or greater than \$8,000 and Custom or Self-Direct Custom program applications require pre-approval prior to project initiation and purchase of equipment. Failure to obtain pre-approval may cause an application to be rejected.

INSTANT START BALLASTS				
Lamps	Low (BF ≤ 0.85)	Normal (0.85 < BF ≤ 1.0)	High (BF ≤ 1.01)	
1	3.08	3.11	3.03	
2	1.60	1.58	1.55	
3	1.04	1.05	1.04	
4	0.79	0.80	0.77	
6	N/A	N/A	0.52	

PROGRAMMED RAPID START BALLASTS					
Lamps	Low (BF ≤ 0.85)	Normal (0.85 < BF ≤ 1.0)	High (BF ≤ 1.01)		
1	2.84	2.84	2.95		
2	1.48	1.47	1.51		
3	0.97	1.00	1.00		
4	0.76	0.75	0.75		
6	N/A	N/A	0.50		

Lighting Controls

Controls must be permanently installed. Occupancy sensors may be wall-, fixture- or ceiling-mounted, integrated, passive infrared, ultrasonic, or dual technology sensors. On-Off controls for HID fixtures are not eligible for this rebate.

Lighting Optimization

Rebates are based on the permanent removal of the equivalent of at least one 4' T8 lamp from an existing 8' or 4' fixture as a result of a retrofit. **T8 to T8 de-lamping must include high efficiency electronic ballasts with low ballast factor.** Reducing the quantity of fixtures by removal or abandoning in place does not qualify. In order to qualify, the fixture must be retrofitted such that the existing ballast(s) must be disconnected and removed, a new high efficiency electronic ballast is installed that is appropriate for the lamp quantity, and the sockets for the eliminated lamps are removed. Rebate amount is per fixture, and may not be combined with other lighting rebates. This rebate is not applicable to major facility renovations or new construction. **A pre-retrofit site inspection by Black Hills Energy may be required.** Pre-approval is required for rebate amounts equal to or greater than \$8,000.

By signing the application form, the customer confirms that the lamps have been removed. Removing lamps may reduce light levels. Black Hills Energy recommends that the customer follow appropriate guidelines to insure adequate light levels in affected areas. Final light levels are the customer's responsibility.

Low-Wattage T8 Lamps

Rebates are based on the installation of 4-foot T8 lamps, 28W or less, in existing T8 fixtures using 32W lamps. Customer must ensure that existing ballasts are compatible with low wattage T8 lamps.

High-Bay Fluorescent T8 and T5H0 Lamps with High Efficiency Electronic Ballasts

Rebates are based on one-for-one replacement of HID fixtures of 175W to 1000W, including mercury vapor, high pressure sodium, metal halide, or pulse start metal halide. Rebates are available for T8 or T5HO systems. Retrofits must include high efficiency electronic ballasts. Other configurations not listed may be considered under the Custom or Self-Direct Custom programs, which require preapproval.

Ceramic Metal Halide and Pulse-Start Metal Halide

Rebates are based on one-for-one replacement of incandescent, halogen, quartz metal halide, mercury vapor or high pressure sodium fixtures. Lamp wattages must be lower than existing lamp wattages to qualify.

Stairwell Fixtures with Integral Occupancy Control

Rebates are based on one-for-one replacement of fluorescent T8 or T12 fixtures with fluorescent T8 or LED fixtures. New fixture must have step dimming ballast and integrated occupancy sensor to qualify.

LED and LEC Exit Signs

Rebates are based on one-for-one replacement of incandescent exit signs to LED and LEC exit signs. Replacement of CFL exit signs do not qualify for a rebate.

LED ENERGY STAR® Qualified Interior Lamps

Lamps and luminaires are required to have ENERGY STAR rating to be eligible for rebates. A list of qualified commercial LED lighting is available at https://www.energystar.gov/lightbulbs. Other LED lamps and fixture combinations that do not qualify for these rebates can be considered under the Custom or Self-Direct Custom programs, which require preapproval.

LED ENERGY STAR® Qualified Downlight Fixtures

Fixtures are required to have ENERGY STAR rating to be eligible for rebates. Not all qualified fixtures are eligible for a rebate. A list of qualified commercial LED lighting is available at https://www.energystar.gov/lightfixtures.

LED Recessed Troffer Fixtures and Retrofit Kits

Rebates are based on replacing existing T8 or T12 linear fluorescent fixtures with LED troffer fixtures or retrofit-kits for interior lighting. Fixtures or retrofit-kits are required to be listed on the Design Lights Consortium Qualified Products List (QPL) to be eligible for rebates. The QPL can be accessed at www.designlights.org/search.

LED Direct Linear Ambient Fixtures

Rebates are based on replacing existing T8 or T12 linear fluorescent fixtures with LED direct linear ambient fixtures for interior lighting. Fixtures are required to be listed on the Design Lights Consortium Qualified Products List (QPL) to be eligible for rebates. The QPL can be accessed at www.designlights.org/search.

LED Linear Replacement Lamps (Type A or AB)

Rebates are based on replacing T8 lamps in an existing T8 fixture with LED linear replacement lamps (type A or AB) which uses the existing T8 ballast. LED linear replacement lamps are required to be listed on the Design Lights Consortium Qualified Products List (QPL) to be eligible for rebates. The QPL can be accessed at www. designlights.org/search. DLC QPL listed type B and C LED linear tube replacement lamps are not eligible for a standard rebate but may be evaluated under the Custom or Self-Direct Custom rebate programs, which require preapproval.

LED Exterior Wall Pack Fixtures

Fixtures are required to be rated for outdoor use. Rebates are based on one-for-one replacement of mercury vapor, high-pressure sodium, metal halide and pulse-start metal halide fixtures with LED fixtures. Fixtures are required to be listed on the Design Lights Consortium Qualified Products List (QPL) to be eligible for rebates. The QPL can be accessed at www.designlights.org/search.

LED Exterior Flood Lights

Fixtures are required to be rated for outdoor use. Rebates are based on one-for-one replacement of mercury vapor, high-pressure sodium, metal halide and pulse-start metal halide fixtures with LED fixtures. Fixtures are required to be listed on the Design Lights Consortium Qualified Products List (QPL) to be eligible for rebates. The QPL can be accessed at www.designlights.org/search.

LED Fixtures for Parking Garage/Fuel Pump Canopy Installations

Rebates are based on one-for-one replacement of mercury vapor, high-pressure sodium, metal halide and pulse-start metal halide fixtures for parking garages and fuel pump canopies with LED fixtures. Fixtures are required to be listed on the Design Lights Consortium Qualified Products List (QPL) to be eligible for rebates. The QPL can be accessed at www.designlights.org/search.

LED Fixtures for Building Exterior Canopy and Soffit Installations

Rebates are based on one-for-one replacement of mercury vapor, high-pressure sodium, metal halide and pulse-start metal halide building exterior canopy and soffit fixtures with LED fixtures. Fixtures are required to be listed on the Design Lights Consortium Qualified Products List (QPL) to be eligible for rebates. The QPL can be accessed at www.designlights.org/search.

LED Fixtures for Outdoor Pole/Arm Mounted Parking/ Roadway Installations

Rebates are based on one-for-one replacement of mercury vapor, high-pressure sodium, metal halide and pulse-start metal halide fixtures with LED fixtures. Fixtures are required to be listed on the Design Lights Consortium Qualified Products List (QPL) to be eligible for rebates. The QPL can be accessed at www.designlights.org/search.

LED Refrigerator Case Lighting

Rebates are based on one-for-one replacement of fluorescent T8 or T12 refrigerated case door lighting with LED strip lighting with LED refrigerated case door lighting. Fixtures are required to be listed on the Design Lights Consortium Qualified Products List (QPL) to be eligible for rebates. The QPL can be accessed at www.designlights.org/search.

Terms and Conditions

- Participant must be a Black Hills Energy commercial or industrial electric customer located in Colorado.
- Projects must be completed between January 1, 2021 and December 31, 2021. Applications for work done must be received by January 31, 2022.
- 3. All lighting rebate applications are reviewed for cost-effectiveness. Total rebate amount per application will be no more than 50% of the total labor, material and equipment costs shown on itemized invoices for qualifying measures. Black Hills Energy reserves the right to adjust equipment or rebate amounts submitted with this application.
- 4. This program is subject to regulatory rules and orders. Black Hills Energy reserves the right to change or to end any portion of this program without notice.
- Rebates calculated to exceed \$50,000 will be evaluated to determine whether the high rebate cost is beneficial to the program. A \$500,000 cap will be imposed per facility or building per program year.
- 6. A final, itemized invoice for all equipment, materials and labor related to the installation must be attached to this rebate application. Applications must be completed in full: incomplete or incorrect applications will delay processing and may be returned.
- Lighting specification sheets must be submitted along with the completed application.
- 8. New equipment must be installed on the premises and must not be purchased for resale. Customer must purchase and install the new equipment prior to submitting a rebate application. Used/refurbished/ repaired/rebuilt equipment does not qualify for this rebate.

If your lighting upgrade is not on the following list, you still may be eligible for a rebate under our Custom or Self-Direct Custom rebate programs. Additional information can be found at www.energy-ready.com.

Customer Agreement

certify that I have read and agree to the terms and conditions of the Lighting
program offered by Black Hills Energy.
Customer Signature

☐ Self Installed

Date

Certification

(To be completed by dealer/contractor/installer)

We certify that the indicated equipment was installed per the Terms and Conditions of this program at the address shown. All Terms and Conditions of the program have been met. We certify that all equipment information provided on the application is correct. Black Hills Energy reserves the right to inspect and verify any equipment before or after issuing rebates.

Company Name		
Company Name	(Please print)	
Contact Person		
Permit Number		
Company Address		
City	State	ZIP
Telephone		
Fax		
Email		
Signature		
Date		

Verification

A firm and final bid or sales receipt indicating date of installation, dealer/contractor name, equipment manufacturer name and model number and manufacturer's equipment cut sheet must accompany the rebate application. Incomplete applications may be delayed. Black Hills Energy reserves the right to verify sales receipts, cancelled checks, and installations

Tax Information

Rebates may be subject to federal and/or state income tax reporting. Applicant is responsible for contacting a qualified tax advisor to determine tax liability. Black Hills Energy is not responsible for any tax consequences of the rebate program.

Disclaimer

Black Hills Energy does not guarantee that installation of equipment qualifying for rebates will result in reduced energy usage or demand, or in cost savings. The Customer will hold harmless Black Hills Energy and its officers, directors, shareholders, agents, employees, and representatives from all claims, liabilities, fines, interest, costs, expenses, and damages incurred by the Customer, for any damage, injury, death, loss or destruction of any kind to persons or property, to the extent the damage, injury, death, loss or destruction arises out of or is related to the conduct, negligence, willful misconduct, misrepresentation, breach of warranty or other breach of this rebate form on the part of Black Hills Energy.

Mail completed application and itemized invoices to:

Black Hills Energy c/o Lighting Program 5301 Limestone Road, Suite 222 Wilmington, DE 19808

Email: BlackHillsRebates@appliedenergygroup.com

ADDITIONAL INFORMATION

For more information or to download additional applications visit **www.energy-ready.com** or call our toll-free help line at **800-426-5784.**